

SUPPLEMENT TO



The Gazette

of India

No. 29

NEW DELHI, SATURDAY, JULY 16, 1949

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 4th June 1949.

	CHOLERA		SMALLPOX		PLAQUE		CHOLERA		SMALLPOX		PLAQUE							
	C	D	C	D	C	D	C	D	C	D	C	D						
INDIA												Bombay						
Madras																		
Vizagapatam	32	3	Bombay	16	11	1	1					
Chiccaole	13	7	6	1	Ahmedabad	1	1					
East Godavari	5	4	4	1	Kalra	..	4	2	4	4	..					
West Godavari	30	22	8	Broach	10	6					
Kistna	43	8	Panch Mahals	..	1	..	6	6	..					
Guntur	20	4	Surat	1					
Nellore	..	13	6	30	7	..	Thana	..	6	3	25	12	..					
Cuddapah	7	1	Bombay Suburban	1	1					
Kurnool	36	7	Ahmednagar	..	18	7	26	5	..					
Bellary	22	1	East Khandesh	2					
Anantapur	27	4	West Khandesh	..	1	..	2	1	..					
Madras	5	4	8	3	Nasik	..	56	26	9	1	..					
Chingleput	26	19	9	1	Poona	..	3	..	21					
Chittoor	16	5	17	Satara	..	1	1	33	5	..					
North Arcot	48	17	1	1	Sholapur	19	2	..					
Salem	27	12	4	1	2	2	Belgaum	..	3	..	1					
Coimbatore	17	5	18	5	1	..	Bijapur					
South Arcot	4	1	Dharwar	1	..					
Tanjore	Kanara					
Trichinopoly	4	4	1	Ratnagiri	38	4	..					
Madura	Kolaba	29	3	..					
Ramnad	Dangs					
Tinnevelly	3	1	Kolhapur	9					
Nilgiris	1	Baroda	11	3	..					
Malabar	1	1	TOTAL		93	39	263	67	1	1				
South Kanara	12	3	*(Estd : Pop : 22,752 thousands)											
TOTAL	204	105	314	54	3	2	Total for w/e 28-5-49	..	62	28	281	62	3	..				
*(Estd : Pop : 52,813 thousands)													..					
Total for w/e 28-5-49	875	197	301	59	Total for w/e 21-5-49	..	90	42	272	57	8	..				
Total for w/e 21-5-49	366	179	314	78	3	2	7-yearly mean for the week	..	138	60	253	46	2	2				
7-yearly mean for the week	98	47	281	62	3	1	7-yearly mean for the week				

Explanation of the Symbols used :—C=Cases; D=Deaths

*Population is given as at the beginning of the year.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 4th June 1949—contd.

Explanation of symbols used :— C=Cases ; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 4th June, 1949.—*contd.*

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C	D	C	D	C	D		C	D	C	D	O	D
Central Provinces												Ajmer-Merwara (Urban)	
Nagpur	1		TOTAL		7	2
Wardha	3		*(Estd. Pop. 646 thousands)	
Chanda	8	4	3		Total for w/e 28-5-49		11	9
Chhindwara		Total for w/e 21-5-49		19	13
Betul	14	9	11	1		7-yearly mean for the week		3	1
Bhandara	2	1	11		Bhopal	
Jubbulpore	31	8	21	1		TOTAL	
Saugar		*(Estd. Pop. 842 thousands)	
Mandla	1	1	5		Total for w/e 28-5-49	
Hoshangabad		Total for w/e 21-5-49		2	..
Nimar		3-yearly Average for the week	
Balaghat	12	9	7	1		Coorg	
Raipur	13	10		TOTAL		19	4
Bilaspur	25	6		*(Estd. Pop. 176 thousands)	
Drug	2		Total for w/e 28-5-49		3	1
Bastar	2		Total for w/e 21-5-49		8	1
Surguja		7-yearly mean for the week		7	1
Raigarh		Delhi	
Amraoti		Delhi City		41	18
Yeotmal		New Delhi		6	..
Akola	2		Delhi Notified Area		1	1
Buldana		Rural Circles		2	..
TOTAL	106	48	63	6		Total		60	19
*(Estd. Pop. 17,867 thousands)								*(Estd. Pop. 1,205 thousands)		34	18
Total for w/e 28-5-49	145	92	141	39		Total for w/e 28-5-49		66	28
Total for w/e 21-5-49	103	70	129	10		Total for w/e 21-5-49		12	6
7-yearly mean for the week	162	102	361	51		7-yearly mean for the week		Grand total for India	1,447
Assam												701	997
Cachar	43	28		28-5-49		226	65
Khasi & Jaintia Hills		Total for w/e 21-5-49		65	21
Naga Hills		Grand total for India	
Luhai Hills		(Estd. Pop. 244,703 thousands)	
Goalpara	2	1		Grand total for India for w/e 28-5-49	
Kamrup	7	8		Grand total for India for w/e 21-5-49	
Darrang	46	33		7-yearly mean for India for the week	
Nowrang	12	3		7-yearly mean for India for the week	
Sibsagar		7-yearly mean for India for the week	
Lakhimpur		7-yearly mean for India for the week	
Saidiya & Frontier Tracts		7-yearly mean for India for the week	
Garo Hills	10	5		7-yearly mean for India for the week	
TOTAL	121	79		7-yearly mean for India for the week	
*(Estd. Pop. 7,379 thousands)								7-yearly mean for India for the week	
Total for w/e 18-5-49	139	94		7-yearly mean for India for the week	
Total for w/e 21-5-49	155	85	3		7-yearly mean for India for the week	
7-yearly mean for the week	93	47	40	9		7-yearly mean for India for the week	
Orissa											
Cuttack	51	33		7-yearly mean for India for the week	
Balasore	5	17		7-yearly mean for India for the week	
Puri	4	..	9	1		7-yearly mean for India for the week	
Sambalpur	10		7-yearly mean for India for the week	
Khondmels		7-yearly mean for India for the week	
Ganjam Plains		7-yearly mean for India for the week	
Ganjam Agency		7-yearly mean for India for the week	
Koraput	17	2	2		7-yearly mean for India for the week	
Keonjhar		7-yearly mean for India for the week	
Dhenkanal		7-yearly mean for India for the week	
Bolangir-Patna	131	32		7-yearly mean for India for the week	
Sundergarh		7-yearly mean for India for the week	
Phulbani		7-yearly mean for India for the week	
Angul		7-yearly mean for India for the week	
Meyurbhanj		7-yearly mean for India for the week	
TOTAL	208	84	21	1		7-yearly mean for India for the week		7	5
*(Estd. Pop. 7,726 thousands)								7-yearly mean for India for the week	
Total for w/e 28-5-49	171	100	138	17		7-yearly mean for India for the week		12	..
Total for w/e 21-5-49	132	86	54	8		7-yearly mean for India for the week		1	..
7-yearly mean for the week	109	66	224	38		7-yearly mean for India for the week		16	1
TOTAL	208	84	21	1		7-yearly mean for India for the week		27	2
*(Estd. Pop. 7,726 thousands)								7-yearly mean for India for the week	
Total for w/e 28-5-49	171	100	138	17		7-yearly mean for India for the week		12	..
Total for w/e 21-5-49	132	86	54	8		7-yearly mean for India for the week		1	..
7-yearly mean for the week	109	66	224	38		7-yearly mean for India for the week		16	1

Explanation of Symbols used :— C=Cases; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 4th June, 1949—concl.

Explanation of Symbols used :—C-Cases, D- Deaths.

NEW DELHI, 3 (INDIA) : }
The 4th July, 1949. }

M. W. M. YEATTS,
Registrar General, India.

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

CERTIFICATES

SAVINGS

CERTIFICATE

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 4th June, 1949.

Deaths from :-

Town	Mid-1949 Popn-Est. (000)	B.	B. R.*	C.	S.	P.	F.	D. D.	R. D.	Total	D. R. *
------	--------------------------------	----	--------	----	----	----	----	-------	-------	-------	---------

A.—INDIA

Madras

Adoni	35	29	42.6	2	6	17	25.0
Ambar	38	23	31.5	1	...	1	6	8.2
Aruppukottai	36	17	24.6	4	7	2	21	30.4
Bellary	63	25	20.6	2	2	6	26	21.4
Banavore	35	23	34.2	1	1	4	12	17.8
Coimbatore†											
Buddalore	62	50	42.0	1	5	6	23	19.3
Chindigul	67	46	35.8	1	...	5	12	9.3
Eluru	71	29	21.2	3	1	5	18	13.1
Erode	44	45	52.8	1	2	2	11	12.9
Buddiyattam	39	34	46.0	4	1	17	22.5
Guntur †											
Kakinada †											
Kancheepuram	82	59	37.2	2	3	9	36	22.7
Kozhikode	149	111	38.8	2	2	12	59	20.7
Kumbakosam	71	62	45.5	1	...	9	35	25.7
Kurnool	54	76	73.8	5	1	2	23	22.3
Madras	998	787	40.0	4	3	42	70	164	572	20.8	
Mangalore	93	79	44.2	3	...	9	26	14.5
Lasulipatam	61	21	17.0	...	1	...	1	1	1	17	14.5
Methurai	287	240	15.2	1	10	11	49	142	7.9
Mayuram	83	31	48.4	11	17.2
Melapalayam	82	25	15.2	3	1	3	13	7.9
Negapatinam	57	48	44.1	2	1	2	17	15.6
Nellore	65	74	59.2	10	2	...	4	3	5	58	46.4
Palam Cottah	84	29	45.0	2	5	18	20.2
Palghat	60	59	50.9	1	3	22	19.0
Tajahmundry	84	46	28.6	...	1	...	1	3	7	43	26.7
Tajapalayam	53	30	29.6	2	...	11	10.9
Jalem	153	108	36.8	1	2	9	50	17.0
Tirivilliputtur	87	80	42.7	2	1	3	17	24.2
Tanjore	70	55	40.7	3	3	41	30.4
Telllicherry	41	28	31.5	4	1	9	23	29.0
Tenali	46	18	20.6	2	1	1	8	9.2
Tiruchirappalli	174	172	51.6	2	15	67	20.1
Tirunelveli	64	53	43.3	3	4	24	19.6
Tiruppur †											
Tiruvannamalai	38	38	51.4	3	1	...	15	20.3
Utticorin	88	75	44.2	3	2	8	30	17.7
Vellore	83	85	53.0	5	11	42	26.2
Vijayavada	108	80	38.6	1	7	2	3	41	19.8
Vinnyambadi	88	20	39.4	13	17.7
Virudhunagar	86	41	59.6	2	2	4	19	27.6
Vizagapatam	81	50	32.2	4	3	7	32	20.5
Izianagram	58	36	32.0	2	1	8	30	27.1
TOTAL	3,818	2,973	40.5	15	8	...	120	154	403	1,713	23.3

*In case of towns where there have been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable.

Explanation of Symbols used :— B = Births; B.R. = Birth rate; C = Cholera; S = Smallpox; P = Plague; F = Fevers; D.D. = Dysentery and diarrhoea; R.D. = Respiratory diseases, D. R. = Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 4th June 1949—contd.

Deaths from—

Town	Mid-1949 Popn.-Est. (000)	Deaths from—											
		B.	B.R.*	C.	S.	P.	F.	D. D.	R.D.	Total	D.R.		
Bombay		A.—INDIA—contd											
Ahmedabad	826	453	28.5	173	1	23	330	21		
Ahmednagar	64	86	70.8	6	..	5	27	22		
Amalner	44	28	33.1	11	2	1	21	24		
Bandra	97	67	36.8	2	4	9	36	19		
Baroda City	184	169	47.9	..	1	..	50	4	10	94	26		
Barsi	41	45	57.3	3	1	1	17	21		
Belgaum	75	46	31.8	3	1	1	22	15		
Bhusawal	42	25	30.0	7	..	2	11	13		
Bijapur	57	35	32.1	1	1	4	14	12		
Bombay†	74	40	28.2	4	..	1	20	14		
Broach	54	18	17.4	1	..	3	21	20		
Dharwar		
Dhulia	65	32	25.2	12	..	4	20	16		
Gadag-Betgeri	65	31	24.8	9	2	5	28	22		
Godhra	48	15	16.4	10	13	14		
Hubli†		
Jalgao	61	38	24.2	6	1	2	19	16		
Kalyan	36	9	13.1	8	1	3	12	17		
Kolhapur†		
Kurla	48	26	20.2	6	..	3	16	17		
Malegaon	40	35	45.1	25	..	6	35	46		
Nadiad	56	41	37.2	24	25	23		
Nasik	58	46	41.3	3	10	3	6	39	35		
Navsari City	45	21	24.5	11	18	20		
Pandharpur	37	30	42.7	6	4	7	28	39		
Parle Andheri	56	20	18.5	..	1	..	1	..	2	8	7		
Patan City	42	20	24.6	..	1	..	12	..	18	31	38		
Poona	307	166	28.1	20	7	29	126	21		
Satara	40	20	26.3	4	1	3	17	22		
Sholapur	260	130	26.0	16	7	36	99	18		
Surat	232	176	39.5	28	6	26	116	26		
TOTAL	3,053	1,858	31.6	3	3	..	465	46	218	1,209	21		
Bengal, West													
Asansol†	67	6	4.7	1	..	2	..	1
Bally	59	7	6.2	1	..	3	..	2
Bankura
Baranagar	69	22	16.6	4	1	6	21	15		
Berhampore	53	3	2.9	5	1	1	9	8		
Bhatpara	144	34	12.3	10	3	5	42	15		
Budge-Budge	89	8	10.6	2	2	2	9	12		
Burdwan	82	5	3.2	5	2	2	12	7		
Calcutta	3,896	572	10.3	16	11	2	90	73	179	706	12		
Champdani	37	6	12.6	1	3	4		
Garden-Reach	110	15	7.1	1	3	2	5	25	11		
Hooghly-Chinsura†		
Howrah	508	81	8.3	4	2	1	14	10	35	119	12		
Kamarhati	59	14	13.8	1	..	4	4		
Krishnanagar	38	8	4.1	6	6	8		
Midnapur	52	10	9.0	2	1	..	10	9		
Nabadwip	40	18	23.3	3	1	..	11	3	3	28	36		
Naihati†		
Serampur	69	17	12.0	10	1	4	23	17		
South Suburban†		
Titagarh	64	20	16.3	1	1	..	15	19	15		
Tollygunj	87	4	2.4	1	5	8		
TOTAL	4,467	848	9.9	30	15	3	172	102	243	1,046	12		

Explanation of symbols used :—

B.—Births, B.R.—Birth rate, C.—Cholera, S.—Smallpox, P.—Plague, F.—Fever, D.D.—Dysentery and diarrhoea, R.D.

Respiratory diseases, D.R.—Death rate.

*Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 4th June 1949—contd.

Deaths from :—

Town	Mid.-1949. Popn.-Est. (000)	B.	B. R.*	C.	S.	P.	F.	D. D.	R. D.	Total	D. R.*
A.—India—Contd.											
United Provinces											
Agra	301	222	38.5	6	16	82	170	29.5
Allahabad	307	92	15.7	3	2	34	56	9.5
Amroha	65	31	24.8	5	3	5	31	24.8
Bahraich	45	18	20.8	5	1	1	13	15.0
Balrampur	40	8	13.8	4	7	12.1
Banaras	301	151	26.1	1	1	...	99	14	23	194	33.6
Bareilly	219	147	35.0	25	10	28	81	19.3
Budaun	58	23	20.8	9	...	7	24	21.7
Dehra Dun	71	38	27.8	3	3	3	15	11.0
Etawah	68	42	37.6	11	4	6	34	30.4
Faizabad-Ajodhya	54	34	32.1	3	...	7	31	7.6
Farrukhabad,-Fatehgarh	62	25	21.0	12	2	7	26.0	26.0
Ferozabad	64	15	14.6	...	4	...	19	...	1	27	26.2
Ghazipur	36	16	24.2	8	10	15.1
Gorakhpur	106	32	15.8	6	2	8	30	14.8
Hapur	41	28	35.6	12	4	3	26	33.1
Hardwar Union	47	17	18.8	23	3	4	42	46.5
Hathras	58	42	41.3	23	3	7	47	46.2
Jaunpur	51	22	22.6	3	2	...	9	9.2
Jhansi	85	56	34.5	47	...	1	51	31.4
Kanpur	630	261	21.6	2	1	...	98	33	35	283	28.4
Khurja	90	28	37.6	2	...	5	14	18.8
Koll-Aligarh	137	35	13.4	20	2	2	29	11.1
Lucknow	443	251	29.5	...	2	...	49	15	17	148	17.4
Mathura	90	73	42.2	24	3	12	56	31.8
Meerut	139	90	33.8	17	1	14	49	18.4
Mirzapur-Vindhyaibahal	79	26	17.1	11	2	4	29	19.1
Moradabad	169	75	23.1	6	13	19	75	23.1
Muzaffarnagar	56	25	23.3	4	1	2	16	14.8
Pilibhit	51	27	27.5	13	...	5	37	37.7
Saharanpur	128	83	83.8	85	3	1	50	20.4
Sambhal	62	43	36.2	...	4	...	16	1	3	28	23.6
Shahjahanpur	128	60	24.5	55	2	8	78	31.8
Sitapur	85	20	29.7	...	2	...	11	2	...	16	23.8
TOTAL	4,349	2,156	26.4	3	14	...	686	147	347	1,813	22.2
Punjab, East											
Ambala	51	13	13.2	1	2	2.0
Amritsar	495	88	9.3	11	0	25	84	8.9
Batala	54	21	20.3	4	1	...	7	6.8
Bhiwani	51	25	25.7	6	13	13.4
Fazilka	36	6	8.6	1	1.4
Ferozepur	47	21	23.4	1	...	4	10	11.1
Jassera	31	14	23.2	...	1	...	2	6	9.9
Hoshiarpur †	142	57	21.0	9	...	1	12	4.4
Jullundur	142	57	21.0	9	...	1	12	4.4
Karnal	46	14	15.7	7	...	2	11	12.3
Ludhiana	148	64	22.6	4	4	...
Moga	36	23	31.6	3	...	1	6	8.6
Panipat	42	13	16.2	2	...	2	4	5.0
Rewari	34	17	25.8	9	...	1	13	19.7
Rohtak	59	39	34.5	...	1	...	3	6	5.3
TOTAL	1,272	414	16.9	...	2	...	58	10	36	175	7.2

*In case of towns where there have been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable.

Explanation of symbols used :—

B=Births; B.R.= Birth rates; C= Cholera; S= Smallpox; P= Plague; F= Fevers; D.D.= Dysentery and diarrhoea; R.D.= Respiratory diseases; D.R.=Death rate.

†Under verification.

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and the Indian States for the week ending the 4th June 1949—contd.

Deaths from :—

Town	Mid-1949 Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.
Central Provinces and Berar											
Akola	75	30	20.8	4	1	1	13	9.0
Amravati	75	48	33.5	4	..	3	12	8.4
Bilaspur	43	9	11.0	2	5	6.1
Burhanpur	62	46	38.4	5	1	..	22	18.4
Chanda	42	29	35.9	7	1	1	9	11.1
Damoh†											
Ellichpur	34	25	38.4	4	6	9.2
Hinganghat†											
Jubbulpore	170	70	21.4	..	6	..	23	2	20	61	18.6
Khandwa											
Nagpur†	42	26	31.2	7	1	..	16	18.7
Station†											
Nagpur Civil											
Raipur†											
Saugor†											
Wardha†											
Yeotmal	31	13	21.7	3	..	2	10	16.7
TOTAL	574	295	26.7	..	6	..	59	6	27	153	13.9
Assam											
Return not Received											
Orissa											
Berhampur	48	55	59.2	10	5	..	35	37.6
Cuttack	82	65	41.2	7	8	1	42	26.5
Puri	44	4	4.7	4	4	..	17	20.1
TOTAL	174	124	37.1	21	17	1	94	28.1
Ajmer-Merwara											
Ajmer	170	61	18.6	..	1	..	34	1	12	56	17.1
Beawar	44	17	20.2	10	12	14.3
TOTAL	214	78	19.0	..	1	..	44	1	12	68	16.5
Delhi											
Delhi City	667	310	24.2	..	18	..	90	4	46	183	14.3
New Delhi	118	82	36.2	14	6.2
TOTAL	785	392	26.0	..	18	..	90	4	46	197	13.1
B.—UNIONS AND STATES											
Matsya Union											
Alwar	59	4	3.5	1	8	7.0
Patiala and East Punjab States											
Patiala	82	26	16.4	..	1	—	11	2	..	21	13.3
Rajasthan Union											
Bikaner	162	31	10.9	5	3	18	26	8.3
Jaipur	198	23	6.0	43	2	5	106	27.8
Jodhpur	154	1	2	0.7
Udaipur	71	10	7.3	..	2	—	2	16	11.7
TOTAL	585	64	6.0	..	2	..	50	5	24	150	13.3
Saurashtra Union											
Jamnagar	85	56	54.2	..	1	..	20	2	1	41	25.1
Junagadh†	61	18	15.3	11	..	1	23	19.6
Porbandar	146	74	26.4	..	1	..	31	2	5	64	22.4
Cochin State											
Ernakulam	55	84	32.1	3	9	78.5
Mattancherry	65	32	25.8	3	1	3	14	11.3
Trichur	67	24	18.6	1	1	1	9	7.0
TOTAL	187	90	25.0	7	2	4	32	6.1
Mysore State											
Bangalore City	312	278	46.4	1	2	30	28	154	25.7
Kolar Gold Field	174	99	29.5	3	11	3	42	12.5
Mysore City	187	155	50.6	..	1	1	22	9	..	90	20.4
TOTAL	673	532	41.1	..	1	2	27	50	31	280	22.1

Explanation of symbols used :—

B=Births ; B.R.=Birth rate ; C=Cholera ; S=Smallpox ; P=Plague ; F=Fever ; D.O.=Dysentery and diarrhoea. R.D.=Respiratory diseases ; D.R.=Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 4th June 1949. *concl.*

Deaths from :-

Town

Mid. 1949
Popn Est
(000)

B. B.R.* C. S. P. F. D.D. R.D. Total D.R.†

Travancore

Alleppey	67	72	56.1	2	12	9.4
Kottayam	40	17	22.0	2	...	11	14.3
Nagercoil	59	40	35.3	3	2	13	11.5
Quilon	63	70	58.1	3	1	14	11.6
Trivandrum	156	107	35.8	3	4	8	8.7
TOTAL	384	306	41.4	10	9	76	10.3

ARREAR RETURNS

Bihar

For w/e the 7th May, 1949

Arrah	57	14	12.9	...	1	...	5	...	7	8.4	
Bihar	61	4	3.4	1	...	3	2.6	
Bettiah	32	6	9.7	1	...	1	1.6	
Bhagalpur	101	15	7.7	6	...	1	8.1	
Chapra	62	11	9.3	4	...	14	11.8	
Darbhanga	76	22	15.0	3	1	...	6.8	
Dinapur, Nizamat	35	6	8.8	2	...	4	6.9	
Gaya	120	32	13.9	2	30	3	2	27.3	
Jamalpur	47	15	16.0	...	1	...	4	1	6	6.6	
Jamshedpur	203	31	13.1	1	2	1	13	3.3
Monghyr	72	7	5.1	1	1	...	1.4	
Muzaffarpur	63	5	4.3	3	4	...	13	10.8
Patna	189	19	5.2	12	2	1	22	6.1
Purulia	34	4	4.9	2	...	3	3.7	
Ranhi	57	10	9.1	3	1	1	10	9.1
TOTAL	1209	221	8.3	2	2	...	78	12	6	179	7.7

Bihar

For w/e the 14th May, 1949

Arrah	57	8	7.3	5	...	1	8	7.3
Bihar	61	22	18.8	1	4	5	4.3
Bettiah	32	10	25.8	1	1	4	11	17.7
Bhagalpur	101	6	3.1	2	3	1.5
Chapra	62	16	13.5	2	1	...	12	10.1
Darbhanga	76	28	18.7	6	1	...	16	10.9
Dinapur-Nizamat	35	5	7.3	1	2	2.9
Gaya	120	41	17.8	1	1	...	14	4	1	34	14.8
Jamalpur	47	1	1.1	1	1.1
Jamshedpur	203	42	10.8	3	3	10	10.8
Monghyr	72	6	4.3	2	...	1	5	3.6
Muzaffarpur	63	3	4.1	8	17	7.2
Patna	189	11	8.0	...	2	...	2	13	3.5
Purulia	34	6	7.4	3	3	3.7
Ranhi	57	19	17.3	8	7.3
TOTAL	1209	227	9.7	3	3	...	48	10	10	154	6.6

Bihar

For w/e the 21st May, 1949

Arrah	57	10	9.2	3	5	4.6
Bihar	61	7	5.9	1	2	3.2
Bettiah	32	5	8.1	1	2	3.2
Bhagalpur	101	15	7.7	2	1	...	6	18	9.3
Chapra	62	54	46.6	1	1	1	...	18	15.2
Darbhanga	76	21	14.3	15	10.2
Dinapur-Nizamat	35	1	1.6	1	2	2.0
Gaya	120	31	15.5	12	28	12.2
Jamalpur	47	4	4.4	...	1	3	3.4
Jamshedpur	203	70	17.9	2	6	1.5
Monghyr	72	3	3.6	1	2	1.4
Muzaffarpur	63	7	7.7	2	13	10.7
Patna	189	15	4.1	...	1	...	7	2	...	21	5.8
Purulia	34	4	4.9	1	1	...	2	2.4
Ranhi	57	15	13.6	10	2	...	26	23.6
TOTAL	1209	264	11.4	3	3	...	48	5	2	161	6.9

C.P.

For w/e

Wardha	21-5-49	36	14	20.4	4	1	2	12	17.5
"	28-5-49	36	21	30.6	2	7	10.2
Hinganghat	21-5-49	33	18	25.3	4	8	12.8
"	28-5-49	33	13	20.8	2	14	22.4

Bombay

Bombay city	2-4-49	1764	955	28.2	...	50	...	20	25	180	791	23.3
-------------	--------	------	-----	------	-----	----	-----	----	----	-----	-----	------

Explanation of symbols used :-

B=Births ; B.R.=Birth rate ; O=Cholera ; S.=Small pox ; P=Plague ; F=Fevers ; D. D.=Dysentery and diarrhoea, R. D.=Respiratory diseases, D.R.=Death rate.

REMARKS

The figures of births and deaths shown in this statement for week ending th, 4th June, 1949 relate to 170 towns with an estimated population of 20,722 thousands. The total number of towns is 213 and their population is 25,943 thousands. Thus 80% of the total number of towns representing 80% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 10,237 and 7,169 representing birth and death rates of 25.7 and 18.0 per thousand of the population respectively.

(A) *India*.—The data here relate to 151 towns with an estimated population of 18,603 thousands. The total number of towns is 189 and their population is 23,320 thousands. Thus 80% of the total number of towns representing 80% of the total population is covered. The number of births and deaths recorded in those towns were 9,141 and 6,522 representing birth and death rates of 25.5 and 18.2 per thousand of the population respectively. The following table gives the position by provinces.—

Provinces	Current w/e 4-6-49		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Madras	40.5	23.3	43.7	15.3	40.8	20.9
Bombay	31.6	21.6	25.5	19.4	25.3	23.2
Bengal, West.	9.9	12.2	9.2	15.8	9.2	13.8
U. P.	26.4	22.2	27.0	20.8	26.7	30.8
Punjab, East	16.9	7.2	12.7	9.0	22.2	18.9
C. P.	26.7	13.9	26.4	29.8	26.8	26.5
Orissa	37.1	28.1	34.7	19.0	30.8	20.8
Ajmer-Merwara	19.0	10.5	17.8	23.5	28.4	34.6
Delhi	26.0	13.1	27.7	17.1	25.5	20.8
India	25.5	18.2	24.2	20.9	23.0	23.1

No town recorded a high death rate of 50 or over per thousand of the population.

(B) *Indian States and Unions*.—The data here relate to 19 towns with an estimated population of 2,116 thousands. The total number of towns is 24 and their population is 2,623

thousands. Thus 79% of the total number of towns representing 81% of their total population is covered. The number of births and deaths were 1,096 and 647 representing birth and death rates of 26.9 and 15.9 per thousand of the population respectively. No town recorded a high death rate of 50 or over per thousand of the population.

NEW DELHI 3, (INDIA); }
The 4th July, 1949. }

M. W. M. YEATTS,

Registrar General, India.